

SaltDogg® 6.0 Cubic Yard Electric BlackPoly/Stainless Steel Hopper Spreader

Buyers Part Number: SHPE6000

Buyers Products SaltDogg SHPE6000 Electric Poly Hopper Spreader features a high flow design for heavy duty commercial use.

- Works with dump trucks and flatbeds with minimum 25,999 lb GVW (gross vehicle weight).
- Durable poly hopper with stainless steel frame and auger trough.
- 12V DC-powered electric drive independent 3/4 HP auger/chain motor, and 1/2 HP spinner motor..
- Auger model can drive bulk salt or a 50/50 salt/sand mix.
- In-cab closed-loop controller with independent conveyor/auger and spinner speeds, and vibrator control.
- 14 in. spinner broadcasts material up to 30 ft.
- Available in both variable pitch full length auger and high flow pintle chain models.
- Vibrators, top screens, inverted V, and remote auger bearing grease kit included.
- Vinyl tarp kit and spreader tie down kit sold seperately.
- Backed with a 2 year warranty.
- Made in the USA.



Specifications

Capacity	6.00 yd ³	Chute Primary Material	Polyethylene
----------	----------------------	------------------------	--------------

Specifications Continued

Chute Standard Adjustable Extended	Adjustable Height	Controller Type	High Current Variable Speed
Drive Motor Horse Power	.50 HP	Drive Type	Electric
Feed Mechanism	Full Length Auger	Feed Mechanism2	6 in. Auger
Frame Material	304 Stainless Steel	Hopper Color	Black
Hopper Length	133.50"	Hopper Material	Polyethylene
Hopper Width	77.00"	Included Cover	N
Number of Motors	2	Overall Height	57.00"
Overall Length	133.50"	Overall Width (at top)	77.00"
Spinner Diameter	14.00"	Spinner Material	Polyurethane
Spinner Motor Horse Power	0.50 HP	Spreading Width Range	5 To 30'
System Voltage	12 VDC	Top Screen	Yes
Trough Material	304 Stainless Steel	Vehicle Application	26K GVWR
Vibrator Amperage	15.0 A	Vibrator Force	900 lb
Vibrator Included?	Yes	Works with Bagged #1 Rock Salt	Yes
Works with Bulk Salt	Yes	Works with Bulk Sand	No
Works with Salt / Sand Mix	Yes	Shipping Weight	1134 lb

WHERE TO BUY