

Saltdogg® Shpe4000 Electric Poly Hopper Spreader With Auger

Buyers Part Number: SHPE4000

- Works with dump trucks and flatbeds with minimum 17,500 lb GVW (gross vehicle weight).
- Durable 4 cubic yard poly hopper with stainless steel frame and auger trough.
- 12V DC-powered electric drive with independent auger and spinner motors.
- Handles bulk salt or a 50/50 sand/salt mix.
- In-cab control of independent auger and spinner speeds, with vibrator control.
- 14 in. spinner broadcasts material up to 30 ft.
- 5-1/2 inch steel auger keeps the material flowing.
- Dual 400 lb vibrators keep material from clumping and getting stuck.
- Top screens, inverted V, tie downs and remote auger bearing grease kit included.
- Backed with a 2 year warranty.
- Made in the USA.



Buyers Products SaltDogg SHPE4000 Electric Poly Hopper Spreader gives contractors and property managers a powerful spreader for medium and heavy duty commercial use. The spreader works with dump trucks and flatbeds with a minimum 17,500 GVW (gross vehicle weight). The 4 cubic yard spreader handles bulk salt or a 50/50 salt/sand mix. Its electric-powered design means quieter operation with no need for refueling or engine servicing, giving you more time on the road.

An SHPE series spreader is an investment made to last. The double-wall, lighter weight, all-poly hopper construction won't rust or dent. A simple cleaning makes it look like new. It's supported by a corrosion-resistant stainless steel frame.

The SHPE gets the job done with a 5-1/2 in. steel auger and stainless steel trough. The auger is driven by a 3/4 HP, 12V gear motor. Dual 400 lb vibrators work in conjunction with the inverted V and auger to keep material flowing. A 14 in. polymer spinner, powered by an independent 1/2 HP, 12V motor, can cast a 5-30 ft radius. The SHPE4000 features a chute with an open trough and stainless steel spinner shield. The spinner assembly can be easily removed for cleaning and storage.

Intuitive in-cab controls let you independently manage conveyor and spinner speeds and turn the vibrator on and off with the flick of a switch. The spreader also comes standard with two steel top screens and a vinyl tarp with tie down kit.

Product Common Use: Industrial Parking Lots, Driveways, Commercial Property, Apartment Complexes

Specifications

Chute Primary Material	Polyethylene	Overall Height	43.50 "
Chute Standard Adjustable Extended	Adjustable Height	Overall Length	114.80 "
Controller Type	Dual Motor Variable Speed	Overall Width (At Top)	74.00 "
Drive Type	Electric	Hopper Width	74.00 "
Frame Material	304 Stainless Steel	Top Screen	Yes
Hopper Color	Black	Drive Motor Horse Power	.50 HP
Hopper Length	99.50 "	Spinner Motor Horse Power	0.50 HP
Hopper Material	Polyethylene	Vibrator Included?	Yes
Number Of Motors	2	Vibrator Force	2x 400 lb
Spinner Material	Polyurethane	Spinner Diameter	14.00 "
Trough Material	304 Stainless Steel	Spreading Width Range	5 To 30 '
Works With Bagged #1 Rock Salt	Yes	System Voltage	12 vdc
Works With Bulk Salt	Yes	Feed Mechanism	Full Length Auger
Works With Bulk Sand	No	Feed Mechanism2	5 1/2 in. Auger
Works With Salt / Sand Mix	Yes	Min Order Qty	1
Capacity	4.00 yd ³	Multiple Sale Qty	1

Specifications Continued

Product Code	903	Shipping Weight	896.000
Sell Pack Type	Unit	UPC	724920093019

[WHERE TO BUY](#)